

Medicine M.C.Q

October 2009

Underline the only one correct answer :

- 1) Pattern of gait in parkinsonism is :
a- spastic b- shuffling c- drunken
- 2) One of the following is sign of pyramidal tract lesion except :
a- hyper-reflexia b- flexor planter response c- hypertonia
- 3) Crossed hemiplegia results from a lesion in :
a- frontal lobe b- internal capsule c- mid-brain
- 4) Patient with migraine my need :
a- CT brain b- lumbar puncture c- none
- 5) Lenticulostriate artery occlusion may cause :
a- capsular hemiplegia b- LL monoplegia c- paraplegia
- 6) Normal glucose level in CSF occurs in meningitis duo to :
a- viral b- fungal c- tuberculosis
- 7) The following are affected in subacute combined degeneration except :
a- extra pyramidal tract b- posterior column c- peripheral nerves
- 8) The following are features of pseudo bulber palsy except :
a- exaggerated jaw reflex b- tongue atrophy c- nasal tone
- 9) Radicular sensory loss results from a lesion in :
a- conus medullaries b- posterior column c- cauda equina
- 10) Acute myocardial infarction may be complicated by :
a- aortic regurge b- mitral regurge c- pulmonary incompetence
- 11) Atrio-ventricular conduction disturbance does Not occur in :
a- infectious mononucleosis b- athletes c- α blockers

البلاء يقرب بينك وبين الله ويعلمك الدعاء ويذهب عبك الفخر والغرور

- 12) Dropped beat occur in :
 a- 1st degree HB b- 2nd degree HB c- 3rd degree HB
- 13) Diagnosis of acute myocardial infarction is based on :
 a- chest x-ray b- CK MB iso-enzyme c- amylase enzyme
- 14) ECG finding in hyperkalaemia is :
 a- low-amplitude T-wave b- high-amplitude T-wave c- U-wave
- 15) Orthopnoea is caused by :
 a- Rt sided heart failure b- Lt sided heart failure c- neither
- 16) Agonizing acute chest pain occurs in :
 a- pulmonary embolism b- anemia c- heart failure
- 17) Biphasic P-wave in lead II or V1 occurs duo to abnormality of :
 a- Lt ventricle b- Lt atrium c- Rt ventricle
- 18) Cardiac cachexia may occur duo to except :
 a- anorexia b- low metabolic rate c- protein losing enteropathy
- 19) In paroxysmal supraventricular tachycardia, the rhythm is :
 a- regular b- regular irregularity c- irregular regularity
- 20) Causes of prominent R wave in lead V1 :
 a- LV hypertrophy b- Lt BBB c- Posterior wall MI
- 21) The commonest cause of constrictive pericarditis is :
 a- rheumatic fever b- TB c- viral infection
- 22) P-R interval in wenckback's phenomenon is :
 a- constantly prolonged b- shortend c- progressively prolonged
- 23) Main antibody in bronchial asthma is :
 a- IgG b- IgM c- IgE
- 24) Sarcoidosis occurs duo to defective :
 a- humeral imunity b- cell-mediated c- both

نُيقِنُ أَنَّ الدُّنْيَا دَارُ مَحَنٍ وَبَلَاءٍ وَمُنْغَصَّاتٍ فَاقْبَلْهَا عَلَيَّ حَالَهَا وَاسْتَعْنِ بِاللَّهِ

- 25) Tracheal deviation occurs in except :
 a- sarcoidosis b- acute pneumonia c- pleural effusion
- 26) Alveolo-capillary block may occur in :
 a- COPD b- interstitial lung disease c- both
- 27) In bronchial asthma :
 a- reduced FEV1/VC b- increased Pco2 c- increased VC
- 28) Anaphylaxis is :
 a- type-1 hypersensitivity b- type-II c- type-III
- 29) Recognition molecules in immune system are :
 a- B-cell antigen receptor b- major histocompatibility c- both
- 30) One of the following is Not considered a sign of haemolytic anemia :
 a- pallor b- splenomegaly c- itching marking
- 31) Signs of vitamin B12 deficiency anemia include :
 a- peripheral neuropathy b- tremors c- diarrhea
- 32) Skin lesions may occur in Henoch schonlein purpura :
 a- vesiculobullous b- pustular c- both
- 33) In chronic iron deficiency anemia :
 a- high serum ferritin b- high TIBC c- reticulocytosis
- 34) Bilharziasis is treated by :
 a- praziquantel b- metronidazole c- colchicine
- 35) Treatment of acute gouty arthritis is :
 a- colchicine b- alluprinol c- paracetamol
- 36) Pathergy test is helpful in :
 a- ankylosing spondylitis b- Behcet's disease c- scleroderma
- 37) Monoarthritis is a feature of :
 a- SLE b- rheumatoid arthritis c- septic arthritis
- 38) Assessment of disease activity in rheumatoid arthritis depends on except :

اعلم أن من اغتابك فقد أهدي لك حسنة وخط من سبائك وجعلك مشهورا وهذه

نعمة

القعدة

- a- pain scale b- duration of morning stiffness c- joint deformity
- 39) The following are non organ specific autoimmune disease except :
a- pernicious anemia b- SLE c- rheumatoid arthritis
- 40) The following are associated with rheumatoid arthritis except :
a- osteoporosis b- pulmonary fibrosis c- dementia
- 41) Hypothyroidism is characterized by :
a- weight loss b- bradycardia c- tremors
- 42) Cancer colon is a common complication in :
a- crohn's disease b- ulcerative colitis c- chronic amebiasis
- 43) Ulcerative colitis :
a- common in smokers b- common in jejunum c- associated with HLA27
- 44) The commonest cause of marked rise of liver enzyme is :
a- hepatitis A b- hepatitis B c- hepatitis C
- 45) Irritable bowel syndrome :
a- unrelated to stress b- pass mucus c- needs gluten free diet
- 46) Common complication of crhon's disease is :
a- peri-anal fistula b- hepatomegaly c- cancer colon
- 47) Gastric cancer is commonly :
a- squamous cell b- adenocarcinoma with helicobacter
c- cause haematemesis
- 48) Helicobacter pylori :
a- is gram +ve bacteria b- occurs in overcrowding
c- cause food poisoning
- 49) Minimal change nephropathy may develop from :
a- NSAIDS b- lithium c- acyclovir
- 50) Polyuria with high specific gravity occurs in :
a- diabetes mellitus b- diabetes insipidus c- both

احذر كلمة (سوف) وتأخير الأعمال فهذا عنوان الفشل